

2	Document Identifier: DSP2042
3	Date: 2014-12-03
4	Version: 1.0.0b
5	

⁶ Cloud Infrastructure Management Interface Use ⁷ Cases

Information for Work-in-Progress version:

IMPORTANT: This document is not a standard. It does not necessarily reflect the views of the DMTF or its members. Because this document is a Work in Progress, this document may still change, perhaps profoundly and without notice. This document is available for public review and comment until superseded.

Provide any comments through the DMTF Feedback Portal: http://www.dmtf.org/standards/feedback

8 Supersedes: None

- 9 **Document Type: DMTF Informational**
- 10 Document Class: Informative
- 11 Document Status: Work in Progress
- 12 Document Language: en-US

13 Copyright Notice

14 Copyright © 2014 Distributed Management Task Force, Inc. (DMTF). All rights reserved.

DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems management and interoperability. Members and non-members may reproduce DMTF specifications and documents, provided that correct attribution is given. As DMTF specifications may be revised from time to

18 time, the particular version and release date should always be noted.

19 Implementation of certain elements of this standard or proposed standard may be subject to third party

20 patent rights, including provisional patent rights (herein "patent rights"). DMTF makes no representations

to users of the standard as to the existence of such rights, and is not responsible to recognize, disclose,

or identify any or all such third party patent right, owners or claimants, nor for any incomplete or
 inaccurate identification or disclosure of such rights, owners or claimants. DMTF shall have no liability to

any party, in any manner or circumstance, under any legal theory whatsoever, for failure to recognize,

disclose, or identify any such third party patent rights, or for such party's reliance on the standard or

incorporation thereof in its product, protocols or testing procedures. DMTF shall have no liability to any

27 party implementing such standard, whether such implementation is foreseeable or not, nor to any patent

28 owner or claimant, and shall have no liability or responsibility for costs or losses incurred if a standard is

withdrawn or modified after publication, and shall be indemnified and held harmless by any party

implementing the standard from any and all claims of infringement by a patent owner for such

31 implementations.

32 For information about patents held by third-parties which have notified the DMTF that, in their opinion,

- 33 such patent may relate to or impact implementations of DMTF standards, visit
- 34 <u>http://www.dmtf.org/about/policies/disclosures.php.</u>

36

Contents

37 38	1	1.1	duction Document structure	6
39		1.2	Disclaimer	
40	2	Refer	rences	7
41	3	Term	s and definitions	8
42	4	CIMI	candidate use cases	9
43		4.1	Business Continuity/Disaster Recovery management use cases	9
44			4.1.1 Realizing Business Continuity on a Machine	
45			4.1.2 Realizing Disaster Recovery on a Machine	14
46		4.2	Service Level Objective management use cases	15
47			4.2.1 Introducing SLO concepts in CIMI	15
48			4.2.2 Assigning a common SLO to a resource in multiple clouds	16
49			4.2.3 Auto-scaling functionality	18
50		4.3	Log/Metadata management use cases	
51			4.3.1 Authorization metadata management	21
52			4.3.2 Log data management	
53			4.3.3 Aligning Monitoring and Auditing with CADF	
54		4.4	Multicloud management use cases	
55			4.4.1 Support for multiple operations in one job	
56			4.4.2 Federation and multibrokering	
57			4.4.3 Resource placement in a multicloud environment	
58			4.4.4 Extending an existing network to multiple clouds	
59			4.4.5 Creating an intercloud network	
60			4.4.6 Multicloud System configuration	
61			4.4.7 Assigning a common SLO to a machine in multiple clouds	
62		4.5	OVF import/export use cases	
63			4.5.1 OVF life cycle - import	
64			4.5.2 OVF life cycle - export	
65		4.6	Resources groups management and control use cases	
66			4.6.1 Support for multiple operations in one job	
67			4.6.2 Auto-scaling functionality	
68	ANN	IEX A	(informative) Change log	53

70 Figures

71	Figure 1 – Active-Passive Scenario – Example cluster configuration	11
72	Figure 2 - Active-Passive Scenario - Example operation	12
73	Figure 3 – Active-Active Scenario – Example cluster configuration	13
74	Figure 4 – Active-Active Scenario - Example operation	14
75	Figure 5 - Creating and moving a Machine with a specified SLO	18
76	Figure 6 - Authorization metadata management example	23
77	Figure 7 - OpenStack authorization model with Resource Metadata extension	24
78	Figure 8 – OpenStack use case with System extension (Access Policy attribute)	24
79	Figure 9 – AWS authorization model use case	25
80	Figure 10 - AWS use case with System extension (Access Policy attribute)	26
81	Figure 11 – Proposed Cloud Provider architecture	32
82	Figure 12 - Cloud containment scenario	33
83	Figure 13 - Shared cloud scenario	34
84	Figure 14 - Federation and Multi Brokering use case "high level view" sequence chart	39
85	Figure 15 – Extending an existing network to multiple clouds use case "high level view" sequence	
86	chart	44
87	Figure 16 - Intercloud network use case "high level view" sequence chart	48
88	Figure 17 - Volume shared by different machines of different clouds (many-to-one connectivity)	50
89	Figure 18 – Additional volume deployed in another cloud in an on-demand manner	50

90

Foreword

- 91 This document contains a set of use cases that are candidates to be addressed by the next major
- 92 functional revision of the CIMI (Cloud Infrastructure Management Interface) specification.
- 93 This document has been developed as a result of joint work with many individuals and teams, including:

94	Enrico Ronco	Telecom Italia (Editor)
95	Eric Wells	Hitachi Ltd.
96	Contributors:	
97	Winston Bumpus	VMware Inc.
98	Mark Carlson	DMTF Fellow
99	Jacques Durand	Fujitsu
100	Robert Freund	Hitachi
101	Ali Ghazanfar	ZTE Corporation
102	Jie Hu	ZTE Corporation
103	Iwasa Kazunori	Fujitsu
104	Dies Koper	Fujitsu
105	Larry Lamers	VMware Inc.
106	John Leung	Intel Corporation
107	Arturo Martin de Nicolas	Ericsson
108	Ryuichi Ogawa	NEC
109	Shishir Pardikar	Citrix Systems Inc.
110	John Parkem	DMTF Fellow
111	Federico Rossini	Telecom Italia
112	Alan Sill	Open Grid Forum
113	Marvin Waschke	DMTF Fellow
114	Martin Wiggers	Fujitsu
115	Daniel Wilson	Ericsson
116		

117 Cloud Infrastructure Management Interface (CIMI) Use Cases

118 **1 Introduction**

The Cloud Management Working Group (CMWG) has started the process of developing a new version of the Cloud Infrastructure Management Interface (CIMI) specification to address the next generation of issues facing Infrastructure as a Service (IaaS) providers. To this goal, CMWG members have prepared a number of use cases that typify these issues and that the CMWG has agreed should be addressed. This document collects those use cases for publication to inform both DMTF members and the industry at large and to solicit feedback on the functions the CIMI specification should provide.

125 **1.1 Document structure**

126	To ease	readability, the use cases have been grouped into broad categories as follows:	
127 128	 Business Continuity/Disaster Recovery (BC/DR group) Enhanced provisioning of IaaS elements (Machines, Volumes, Networks, etc.) 		
129 130	•	Service Level Objective Management (SLO Group) Provisioning to maintain agreed service levels	
131 132	•	Log / Metadata Management (Log/Met Group) Efficient management of event and reporting data throughout the cloud environment	
133 134	•	Multicloud Management (Multicloud Group) Including federation, brokering, and intercloud scenarios	
135 136	•	Open Virtualization Format Management (OVF Group) Package lifecycle management, aligned with the DMTF OVF Standard	
137 138	•	Resource Group Management (Res-MGM/Ctrl Group) Enabling providers to manage pooled resources	
139 140			
141	Use case	es are described using a common template, which includes the following sections:	
142 143	•	Description A brief textual description of the use case	
144 145	•	CIMI rationale Justification, in terms of industry needs, as to why the use case should be supported	
146 147	•	Dependencies Interdependencies with other use cases, standards and technologies	
148 149	•	CIMI challenges Areas where the existing CIMI specification needs enhancement or modification	
150 151	•	Business Actor(s) The various parties involved in implementing the use case	
152 153	•	Process flow The sequence of operations that Business Actors perform to implement the use case	
154 155	•	Variations Additional or alternative use cases that are similar to the one described	

- 156 **Detailed description** •
- 157 Further explanatory and technical details of the use case

1.2 Disclaimer 158

- 159 As more IT functions are developed using IaaS and cloud adoption increases further, the CMWG
- envisions issues occurring that currently present few challenges. The objective of these use cases is to 160 highlight these future needs of cloud providers and consumers and not just to address current issues.
- 161
- 162 Consequently, the CMWG reserves the right to develop the CIMI specification in the manner it sees as
- 163 best fulfilling industry needs. Therefore these uses cases may not actually be supported by the CIMI
- specification, or may be supported in a manner that differs from that described in this document. The 164 165 CIMI specification may also support use cases that are not described in this document, but which the
- 166 CMWG has determined need to be addressed.
- 167 The CMWG encourages any and all feedback on these use cases and any others that the reader feels
- should be supported by the CIMI specification. Non-DMTF members can provide feedback via the DMTF 168 website: http://dmtf.org/contact 169

2 References 170

- 171 The following documents provide additional background information that the reader should find helpful in 172 understanding these use cases.
- 173 DMTF DSP0243, Open Virtualization Format Specification 2.1.0
- http://www.dmtf.org/sites/default/files/standards/documents/DSP0243 2.1.0.pdf 174
- 175 DMTF DSP0262, Cloud Audit Data Federation (CADF) -Data Format and Interface Definitions
- 176 Specification version 1.0.0,
- http://dmtf.org/sites/default/files/standards/documents/DSP0262 1.0.0.pdf 177
- 178 DMTF DSP0263, Cloud Infrastructure Management Interface (CIMI) Model and RESTful HTTP-based
- 179 Protocol 1.1.0
- http://www.dmtf.org/sites/default/files/standards/documents/DSP0263 1.1.0.pdf 180
- 181 DMTF DSP2017, Open Virtualization Format White Paper 2.0.0
- http://www.dmtf.org/sites/default/files/standards/documents/DSP2017 2.0.0.pdf 182
- 183 DMTF DSP2027, Cloud Infrastructure Management Interface (CIMI) Primer 1.1.0
- http://www.dmtf.org/sites/default/files/standards/documents/DSP2027 1.1.0.pdf 184
- 185 DMTF DSPIS0101, Interoperable Clouds 1.0.0
- http://www.dmtf.org/sites/default/files/standards/documents/DSP-IS0101 1.0.0.pdf 186
- 187 DMTF DSPIS0102, Architecture for Managing Clouds 1.0.0
- 188 http://www.dmtf.org/sites/default/files/standards/documents/DSP-IS0102 1.0.0.pdf
- 189 DMTF DSPIS0103, Use Cases and Interactions for Managing Clouds 1.0.0
- http://www.dmtf.org/sites/default/files/standards/documents/DSP-IS0103 1.0.0.pdf 190
- 191 NIST Special Publication 800-145, Peter Mell and Timothy Grance, The NIST Definition of Cloud
- 192 Computing, Sept. 2011
- 193 http://csrc.nist.gov/publications/nistpubs/800-145/SP800-145.pdf

Cloud Infrastructure Management Interface Use Cases

- 194 NIST Special Publication 500-292, Fang Liu, Jin Tong, Jian Mao, Robert Bohn, John Messina, Lee
- 195 Badger and Dawn Leaf, NIST Cloud Computing Reference Architecture, Sept. 2011
- 196 http://collaborate.nist.gov/twiki-cloud-
- 197 computing/pub/CloudComputing/ReferenceArchitectureTaxonomy/NIST_SP_500-292 090611.pdf
- 198 The reader is also encouraged to review the latest Work-In-Progress documents for the related DMTF 199 standards available at: http://www.dmtf.org/standards/cloud

200 **3 Terms and definitions**

Some terms in this document have a specific meaning beyond their normal English meaning. The majority of those terms are defined by the CIMI specification, which should be referred to for exact definitions. However, a number of terms are given informal definitions below to aid the reader:

204 3.1

205 Business Actors

The various logical parties involved in a use case, synonymous with the actors defined in the NIST Reference Architecture [SP500-292].

208 3.2

- 209 Cloud
- Synonymous with "cloud computing" as defined in section 2 of the NIST Definition of Cloud Computing
 [SP800-145].
- 212 3.3

213 Cloud Entry Point, CEP

The top-level representation of the cloud service defined by the CIMI model. The CEP implements a

- 215 catalog of Resources that can be browsed and queried by the Cloud Service Consumer. [DSP0263]
- 216 3.4

217 Cloud Brokering, Cloud Federation

- 218 Processes by which services from two or more Cloud Providers are aggregated and presented to a Cloud
- 219 Consumer as a single service. A Cloud Broker may be one of the Business Actors involved in a use case.
- 220 3.5

221 Cloud Service Consumer, Cloud Consumer, Consumer

- Actors that receive services from a Cloud Service Provider. This group includes both consumer
- administrators and the end users of the service. A Cloud Service Consumer is equivalent to the "Cloud
- 224 Consumer" actor defined in the NIST Reference Architecture [<u>SP500-292</u>].
- 225 3.6

226 Cloud Service Provider, Cloud Provider, Provider

- Actors that provide cloud services to Cloud Service Consumers. This group includes various managerial and operational roles within the Cloud Providers organization. A Cloud Service Provider is equivalent to the "Cloud Provider" actor defined in the NIST Reference Architecture [SP500-292].
- 230 3.7

231 Disk, Machine, Network, System, Volume, etc.

- When capitalized these terms refer to the specific Resource of the same name, as defined by the CIMI specification [DSP0263].
- 234 3.8

235 Infrastructure as a Service (laaS)

- A cloud computing service model defined in section 2 of the NIST Definition of Cloud Computing [SP800-145].
- 238 3.9

239 Resource

- A representation of an entity managed by the Cloud Service Provider that the Cloud Service Consumer can access or operate using the CIMI specification [DSP0263].
- 242 3.10
- 243 Template
- A CIMI Resource that represents the set of metadata and instructions used to instantiate some other Resource (e.g., a MachineTemplate is used to create a Machine) [DSP0263].

246 **4 CIMI candidate use cases**

4.1 Business Continuity/Disaster Recovery management use cases

248 4.1.1 Realizing Business Continuity on a Machine

249 (Either in active-passive or in active-active mode)

BC/DR-001 Realizing Business Continuity on a Machine (either in active-passive or in active-active mode)	
Description A consumer creates a machine for which Business Continuity must be pr scenarios are supported and can be chosen by the Consumer: active-pa active-active cluster.	
CIMI rationale	Business Continuity is becoming ever more important as enterprises move their data centers to the cloud. Enhancing CIMI to encompass such functionality can be an enabler to adoption and a differentiating factor for providers. Providing a cluster of machines for Business Continuity implies an interaction between the software layer (application and operating system) and the underlying layers (hypervisor and firmware); the software layer is managed by the machine user, the underlying layers by the machine administrator. In an "in house" scenario, the setup of the Business Continuity functionality for a given application is easily achievable because all the actors can readily communicate. In a cloud environment, CIMI can be viewed as the correct medium to enable this interaction.
Dependencies with other use cases, standards, and technologies	A Disaster Recovery use case is described in clause 4.1.2 of this document. Possible relations with service level objective (SLO) theme are in clause 4.2 of this document. Specific middleware/vendor platforms have their own solutions to ensure Business Continuity.
CIMI challenges	CIMI will need to define a cluster entity model; as a first working hypothesis, a set of attributes that qualify the Machine and its configurations could be sufficient. It is necessary to determine and formalize the replication of the Machine status to its backup node and to define a protocol for the replication. Analysis should be performed to identify whether the CIMI information model should also formalize the policies that determine failover.
Business Actor(s)	Cloud Service Consumer, Cloud Service Provider(s)

BC/DR-001	Realizing Business Continuity on a Machine (either in active-passive or in active-active mode)	
Process flow	Step Description	Data Required
	1: The Consumer wants to create a Machine in Business Continuity mode and chooses a configuration from those offered by the Provider, selecting either an active-passive or an active-active cluster configuration.	
	 2a: For active-passive scenario: The Consumer sends the POST command by passing the chosen configuration. 2b: For active-active scenario: step 2a + the Consumer and also passes the number of 	
	nodes as inline parameters.	
	3: The Provider creates the selected cluster (either active-passive or active-active). (Specifically, the Provider creates a running Machine, connects it to a load balancer, and configures the virtualization layer to monitor the status of the running Machine).	
	4: The Consumer configures the Machine by installing applications, etc.	
	5: When the configuration is complete, the Consumer communicates the status to the Provider and indicates that the Machine should be placed in a cluster (e.g., executes a command that transfers the Machine status to the backup Machine).	
	6: Sometime during execution the Machine might stop running (e.g., a request sent from the load balancer to the Machine doesn't receive a response).	
	7a: For active-passive scenario: The Provider immediately instantiates and executes the backup Machine.	
	7b: For active-active scenario: The Provider immediately switches every incoming request to the backup Machine.	
	8: For active-passive scenarios only: When the backup Machine completes the startup process, the load balancer switches requests to the backup Machine and "normal" operations resume.	
Variations	The same use case can be applied to "System	s" resources created by the Consumer.

BC/DR-001	Realizing Business Continuity on a Machine (either in active-passive or in active-active mode)	
Notes	Note 1: The Business Continuity functionality provided by this use case has to be built in collaboration with the Consumer: essentially the Provider makes available Machine configurations that allow Consumers to build their own Business Continuity features. Thus CIMI is needed to facilitate the interactions between the Consumer and Provider.	
	Note 2: Given that this use case covers two different scenarios (active-passive and active-active clusters), there may be specific requirements for each use case. In particular the synchronization mechanisms between primary and backup nodes may be different for each scenario. E.g., for the active-active scenario, the Provider can make available periodic synchronization, while in the active-passive scenario, the Consumer might need to perform manual synchronization.	

250 Detailed description:

251 The following text provides a more detailed explanation of the use case but is *not* intended to be a

252 complete technical implementation. Readers should be aware that the description inevitably refers to

- terms defined by CIMI and assumes a working familiarity with the specification.
- Some steps are highlighted within the Active-Passive and Active-Active scenarios.
- 255 Active-Passive scenario


GET /machineConfigs HTTP/1.1
HTTP/1.1 200 OK
Content-Type: application/json
{ "resourceURI":
"http://schemas.dmtf.org/cimi/1/MachineConfigurationCollection",
"id": "http://example.com/machineConfigs",
"machineConfigurations": [
{ "resourceURI": "http://schemas.dmtf.org/cimi/1/MachineConfiguration",
"id": "http://example.com/configs/tiny",
"name": "tiny",
"description": "a teenie tiny one",
"created": "2012-01-01T12:00:00Z",
"updated": "2012-01-01T12:00:00Z",
"cpu": 1,
"memory": 4000000,
"disks" : [
{ "capacity": 50000000 }
1
«highAvailability":
{«type": «passive» }
},

256




Figure 1 – Active-Passive Scenario – Example cluster configuration

258 Figure 2 shows an example operation of an Active-Passive scenario.



259 260

1. Normal operation: The load balancer forwards requests to the primary Machine.



269 Active-Active scenario



270




273

274

Figure 3 – Active-Active Scenario – Example cluster configuration

272 Figure 4 shows an example operation of an Active-Active scenario.




275

276

Active-Active Scenario - step 5

LB

Cloud Infrastructure Management Interface Use Cases



277

278

Active-Active Scenario - steps 6 - 7

279

Figure 4 – Active-Active Scenario - Example operation

280	4.1.2	Realizing Disaster Recovery on a Machine
-----	-------	--

BC/DR-002	Realizing Disaster Recovery on a Machine	
Description	A Consumer creates a Machine that requires Disaster Recovery functionality.	
CIMI Rationale	Disaster Recovery is becoming ever more important as enterprises move their data centers to the cloud. Enhancing CIMI to encompass such functionality can be an enabler to adoption and a differentiating factor for providers.	
	The Consumer may want an "absolute" reliability guarantee for specific applications, even if they are cloud based, and hence Disaster Recovery becomes a necessary feature.	
	Providing a cluster of Machines for Disaster Recovery implies an interaction between the software layer (application and operating system) and the underlying layers (hypervisor and firmware); the software layer is managed by the Machine user, the underlying layers by the Machine administrator. In an "in house" scenario, the set-up of Disaster Recovery functionality is easily achievable because the actors can readily communicate. In a cloud environment CIMI can be viewed as the correct medium to enable this interaction.	
Dependencies	Business Continuity use case is described in clause 4.1.1 of this document.	
with other use cases,	• Possible relations with SLO theme is described in clause 4.2 of this document.	
standards, and technologies	 Specific middleware/vendor platforms have their own solutions to ensure disaster recovery. 	
CIMI challenges	 CIMI needs to define a cluster entity model; as a first working hypothesis a set of attributes that qualify Machine and its configurations could be sufficient. 	
	 It is necessary to determine and formalize the replication of the Machine status to its backup node and define a protocol for the replication. 	
	 Analysis should be performed to identify whether the CIMI information model should also formalize the policies that determine failover. 	
Business Actor(s) Cloud Service Consumer, Cloud Service Provider(s)		

BC/DR-002	R-002 Realizing Disaster Recovery on a Machine		
Process Flow	Step Description	Data Required	
	1: The Consumer chooses a Machine with a Disaster Recovery configuration from those offered by the Provider. The Consumer also selects Disaster Recovery options for any Volumes to be connected to the Machine.		
	2: The Consumer sends POST commands (Machine and Volumes) by passing the chosen configurations.		
	3: The Provider creates the primary Machine and Volumes and also remote copies for the Disaster Recovery configuration.		
	4: The Consumer configures the primary Machine and Volumes by installing applications, etc.		
	5: When the configuration is complete, the Consumer indicates the status to the Provider, who copies this configuration to the remote Machine and Volumes.		
	6: For every update on the primary Volumes connected to the primary Machine, the update is sent also to the remote Volumes.		
	7: Sometime during operation, the primary Machine might stop running (e.g. the data center has a severe issue).		
	8: The Provider starts the remote Machine and routes all incoming requests to the backup Machine.		
Variations	The same use case can be applied to "System	s" resources created by the Consumer.	
Notes	The Disaster Recovery functionality provided b collaboration with the Consumer: essentially th Volume configurations that allow Consumers to features. Thus CIMI is needed to facilitate the i Provider.	e Provider makes available Machine and build their own Disaster Recovery	

4.2 Service Level Objective management use cases

282 4.2.1 Introducing SLO concepts in CIMI

SLO-001	Introducing SLO concepts in CIMI
Description	The Provider is able to advertise Service Level Objectives (SLOs) that can be applied to specific resources. The Consumer is also able to request the creation of a resource (e.g., machine) that meets specific SLOs.

SLO-001	Introducing SLO concepts in CIMI	
CIMI Rationale	The CIMI rel. 1.1 specification introduced basic functionality related to SLOs. Enhancing the support for SLOs will allow the Provider to offer services that allow Consumers to optimize cost/performance benefits. For example, the Provider could offer "basic" Machines with limited performance at low cost and "premium" Machines with specific guaranteed performance at a higher cost (e.g., bronze, silver, gold type services).	
Dependencies with other use cases, standards, and technologies	 The adopted solution could benefit from output of the NIST cc_tax study group. ISO / IEC JTC1 SC38 ISO/IEC 17826:2012 Information Technology Cloud Data Management Interface (CDMI) 	
CIMI challenges	 Defining SLOs in a manner that is applicable to different platforms. Determining how performance can be measured to verify SLOs are being met. 	
Business Actor(s)	Cloud Service Consumer, Cloud Service Provider(s)	
Process Flow	Step Description	Data Required
	1: The Provider advertises the ability to create specific resources (Machines, Volumes, etc.) with given SLOs.	
	2: The Consumer selects a specific SLO for a resource and asks the Provider to create such a resource.	May require preexisting "out of band" agreement on SLOs between the Provider and the Consumer.
	3: The Provider creates the resource as requested.	
	4: Ongoing monitoring by the Provider, the Consumer or both, determines whether or not the specified SLO is being met.	
Variations	The proposed use case is related to creating variations of this use case include creation of networks, systems, etc.) with specific SLOs.	
Notes		

283 **4.2.2** Assigning a common SLO to a resource in multiple clouds

SLO-002; Multicloud-007	Assigning a common SLO to a Machine in multiple clouds
Description	The Consumer, a client of two different Providers, creates a Machine in the cloud of one Provider with a specific SLO. Subsequently the Machine is moved to the cloud of the other Provider maintaining the same SLO.
CIMI Rationale	SLO management is fundamental to guarantee interoperability between clouds and to utilize laaS as a commodity. The Consumer needs be able to obtain the "same" level/kind of service from different providers.
Dependencies with other use cases, standards, and technologies	The "Introducing SLO concepts in CIMI" use case described in clause 4.2.1 of this document.

SLO-002; Multicloud-007	Assigning a common SLO to a Machine in multiple clouds		
CIMI challenges	Define an extended metrics system to evaluate the quality of the "same" service offered by different providers. Also to define mechanisms to "homogenize" different but "similar" metrics supported by different providers.		
Business Actor(s)	Cloud Service Consumer, Cloud Service Provid	der(s)	
Process Flow	Step Description	Data Required	
	1: The Consumer is a client of two different Providers that share common SLOs (e.g., they both use the same metrics for "Availability").		
	2: The Consumer selects a configuration for a Machine to be created with the desired SLO.	Providers shared/common SLOs.	
	3: The Consumer requests that the first Provider create the Machine in the first cloud with the chosen SLO.		
	4: The Consumer moves the Machine from the cloud of the first Provider to the cloud of the second Provider maintaining the target SLO.		
Variations	The proposed use case is dependent upon being able to create a Machine with a given SLO. Other variations of this use case include creation of other "core" resources (i.e., Volumes, Networks, Systems, etc.) with specific SLOs.		
Notes			

284 <u>Detailed description</u>:

285 The following text provides a more detailed explanation of the use case but is *not* intended to be a

complete technical implementation. Readers should be aware that the description inevitably refers to

terms defined by CIMI and assumes a working familiarity with the specification.

Cloud Infrastructure Management Interface Use Cases




Figure 5 – Creating and moving a Machine with a specified SLO

289 **4.2.3** Auto-scaling functionality

BC/DR-003 Res-Mgm/Ctrl-002	Auto-scaling functionality	
Description	A Consumer creates a cluster or System that consists of several Machines, all of which are connected to the same network. The Consumer installs software in one Machine enabling it to act as a load balancer for a task, so the load is uniformly distributed across all the Machines.	
	The Consumer defines scaling criteria and expects the Provider to observe and monitor resource utilization to automatically perform scaling actions:	
	Examples:	
	 Adding a new Machine when average CPU load across all Machines exceeds X% during t amount of time. The Machine cluster and the load balancer are updated to include the new Machine. 	
	 Adding a new Volume to a Machine or increasing the Volume size when the usage exceeds Y% of its nominal capacity. 	
	 Adding network capacity when the measured bandwidth utilization exceeds Z%. 	
	 Corresponding cases to decommission resources when the utilization goes below defined thresholds. 	

BC/DR-003 Res-Mgm/Ctrl-002	Auto-scaling functionality	
CIMI Rationale	 Auto-scaling (up/down and in/out) of virtualized resources is gaining increasing attention by cloud Consumers and Providers. A cloud orchestrator is expected to support this functionality. 	
	Enhancing CIMI with orchestrator related functionality will increase its value and positioning potential.	
	• Even without an orchestration role, auto-scaling of infrastructure resources would enhance CIMI's value as a more powerful laaS management interface.	
	 An auto-scaling function can be used to automate the offloading of cloud infrastructure in multicloud scenarios that are target of the next CIMI release. 	
Dependencies with other use cases, standards, and technologies	 Synergies with the Business Continuity use case presented in clause 4.1.1 of this document: Machine cluster Load Balancer Use of policies to determine failure, recovery, scaling condition Action upon recovery/failure in business continuity and upon load threshold crossing in auto-scaling 	
CIMI challenges	At the very least, the following new functionality would be needed in CIMI to support auto-scaling:	
	Consumer defined scaling criteria (or policies) related to:	
	– CPU load	
	- Volume and Disk usage	
	 Network and network interface bandwidth utilization 	
	 Bandwidth management: Consumer capability to configure bandwidth of networks and network interfaces 	
	 Provider capability to autonomously add or remove resources to/from a System when scaling criteria is met 	
	 Provider capability to autonomously start application software, e.g., via an image, on a new Machine 	
	 Provider capability to inform the Consumer (via eventLog) of inability (temporary or permanent) to perform further scaling actions as requested by the Consumer 	
	Notion of Machine cluster: a group of Machines all running the same software and homogeneous load distribution	
Actor(s)	Cloud Service Consumer, Cloud Service Provider	

Cloud Infrastructure Management Interface Use Cases

BC/DR-003 Res-Mgm/Ctrl-002	Auto-scaling functionality	
Process Flow	Step Description	Data Required
	1: The Consumer creates a System with a number of Machines connected to the same Network. Each Machine has its own Volume attached. The Consumer selects desired CPU characteristics, Volume size, and Network interface bandwidth.	Network interface bandwidth
	2: Either as part of the System instantiation or as a separate update operation after the instantiation is concluded, the Consumer defines the following scaling criteria:	Scaling criteria as new properties
	2a: A new Machine should be instantiated and added to the System if the average load on all Machines exceeds 70% for more than five minutes.	CPU load as scale-out criteria (CPU percentage, average across Machines or measured on a single Machine, length of measurement period, etc.)
	2b. Additional storage, e.g., 50% more, should be added to a Volume when its usage exceeds 80% of capacity.	Volume usage as scale-up criteria (Volume usage, one time threshold crossing or averaged during a period, amount of additional storage to be allocated, etc.)
	2c: Additional bandwidth should be added to a Network interface, if the average bandwidth utilization of the interface exceeds 80% for more than 30 minutes.	Bandwidth utilization as scale- up criteria (bandwidth utilization, measurement period, etc.)
	 Note 1: One method for the Provider to fulfill the requirement would be to use link aggregation to add bandwidth capacity. Note 2: Bandwidth utilization criteria on other Network segments, e.g., between L2 switches, may be also defined. 	
	3: The System is started. The MachineTemplates may also contain application software (an image) to be started.	Application software
	One of the Machines contains a load balancer function to distribute the load evenly among all the Machines in the System.	
	4: The usage for a Volume attached to a Machine exceeds 80%.	
	5: The size of that Volume is automatically increased by 50%.	
	6: The CPU load, averaged over all Machines, exceeds 70% for at least five minutes.	

BC/DR-003 Res-Mgm/Ctrl-002	Auto-scaling functionality	
	7: A new Machine using the same MachineTemplate is created automatically, connected to the same Network and added to the System. The Machine and the application software are started.	
	8: The measured bandwidth utilization of a Network interface on a Machine exceeds 80% for more than 30 minutes.	
	9: Additional bandwidth is automatically added to the Network interface, e.g., using Ethernet link aggregation.	
Variations	Additional capacity, (Machine, Disk, Volum different cloud (cloud offloading as a multiclo Criteria and support for scaling down/in can a	ud scenario).
Notes		

4.3 Log/Metadata management use cases

291 4.3.1 Authorization metadata management

Log/Met-001	Authorization Metadata Management	
Description	There are cases where two or more administrators manage and operate cloud system resources. In these cases authorization data to specify the mapping of administrators or associated users to resources and allowable operations is necessary. (i.e., access policies or Access Control Lists - ACLs).	
CIMI Rationale	Many enterprises (i.e., cloud Consumers) assign multiple administrators for cloud management and governance based on Separation of Duties (SoD) and workload reduction practices. For example, an enterprise may want different cloud resources for different departments and assign an administrator for each department. There would also be a "super-administrator" to supervise and manage shared resources for all the departments.	
	In general, authorization rules are defined outside of CIMI and the resource description is usually in non-CIMI format. Usually administrators need to specify access policies or ACLs to be applied to resources and maintain consistency between policies and resources via a cloud management console. CIMI is required to have the capability to maintain consistency of the policy-resource mappings, even across different platforms and Providers. For example, if resource migration occurs between data centers or clouds, the associated policies must be updated and/or migrated accordingly.	
Dependencies with other use cases, standards, and technologies	 Use case "Multicloud System configuration" presented in clause 4.4.6 of this document Other technologies: Interface to transfer authorization data from a cloud Consumer to a cloud Provider needs to be specified (for example, via ID management software) 	

Log/Met-001	Authorization Metadata Management		
CIMI challenges	 For a Consumer enterprise, current ways of authorizing deployment/ operation of cloud systems tend to be local (by department) or user-group based. CIMI needs to be able to adopt similar levels of granularity for authorization. Possible extensions to CIMI could be: Mapping granularity of authorization metadata (user groups, roles, access 		
	 policies etc.) to CIMI objects. Interfaces between CIMI and authorization metadata. 	software to exchange authorization	
Business Actor(s)	Cloud business manager, Consumer administrators	;	
Process Flow	Step Description	Data Required	
	 Cloud business manager of Company A assigns Alice an administrator role for Company A resource operation. Alice defines two user groups and associated roles as follows: Dept1 group for Department 1 users Dept2 group for Department 2 users Dept1 role to operate resources used by Department 1 Dept2 role to operate resources used by Department 2 		
	and Dept2, respectively. 2: Alice deploys a shared Volume for the two	Policy example	
	groups. Then she updates the access policy file with regard to authorization rules for Dept1, Dept2 and the shared resources. (The file is a non-CIMI resource but could be referenced by CIMI. In case of OpenStack, it is in the Nova service.)	 Dept1 resource: All operations are permitted to Admin, Dept1. Dept2 resource: All operations are permitted to Admin, Dept2. Shared Volume: All operations are permitted to Admin. Read/Update 	
		operations to specified sectors are permitted to Dept1, Dept2.	
	3: Bob creates Dept1 resources. He attaches the shared Volume to his Machines. Then he starts running his Machines.		
	Carol creates Dept2 resources. She attaches the shared Volume to her Machines. Then she starts running her Machines.		
	While running, Dept1 resources and shared Volume sectors assigned to Dept1 are not visible to Dept2. Likewise, Dept2 resources and shared Volume sectors are not visible to Dept1.		


Log/Met-001	Authorization Metadata Management	
	4: When Dept2 resources need to be migrated to a different data center, Alice and Carol perform the operations necessary for migration (details described in another use case).	
	In the migration preparation Alice copies the access policy for Dept2 resources and embeds them in the migration metadata. (Possibly part of OVF metadata, or other standards could be used.)	
Variations		
Notes	CIMI extension considerations are based on authorization models of the two prevalent cloud platforms, OpenStack and Amazon Web Services (AWS). In the OpenStack model roles are assigned to users and access policies are stored in a policy file (see Figure 7 Error! Reference source not found. , Figure 8). In the AWS model, policies are attached to resources and user entities (see Figure 10).	
	A significant issue is how CIMI should handle authorization data such as us In the following figures we assume that user/role management is done by II Management (IAM) software outside of CIMI, and that CIMI has an IAM inter- exchange authorization data.	D and Access

292 Detailed description:

293 The following text provides a more detailed explanation of the use case but is *not* intended to be a


complete technical implementation. Readers should be aware that the description inevitably refers to
 terms defined by CIMI and assumes a working familiarity with the specification.

In the following figures, some CIMI extension possibilities are provided for the use case with two different authorization models (OpenStack-like and AWS-like).



299


Figure 6 – Authorization metadata management example





301

Figure 7 – OpenStack authorization model with Resource Metadata extension




302

303

Figure 8 – OpenStack use case with System extension (Access Policy attribute)

In Figure 8 the CEP has three System objects corresponding to Department1, Department2, and Shared resources. Each System has a new object, AccessPolicy that refers to an access policy file in the API

306 endpoint module. This configuration allows group by group (i.e., System by System) policy mapping.



307 308

Figure 9 - AWS authorization model use case

309 In this case we have two types of access policy: one is associated with user groups or roles (shown as


310 User policy) and another one is associated with resources (shown as Resource policy). User groups

311 (Company A, Department1, Department2) have their own User policies that are not directly reachable

from CIMI, and Shared resource has its own Resource policy. Simple resource metadata extension is not

313 appropriate for this case.

Cloud Infrastructure Management Interface Use Cases



314

315

Figure 10 – AWS use case with System extension (Access Policy attribute)

To cope with user policies, CIMI needs an interface to the IAM component so that it can access user groups and associated policies, and map a user group to System objects used by the group. Figure 10 shows three System objects corresponding to Department1, Department2, and Shared resources, having AccessPolicy attributes to specify corresponding policy contents. Each policy includes access rules applied to resources belonging to the System.

321 The figure shows a somewhat mid-grained policy example, but it could also be fine grained. Other 322 resources (Machine, Volume, etc.) can have AccessPolicy attributes if necessary.

An example of an AccessPolicy object definition is shown below. It has a policyDocument attribute that is a reference to a file of authorization metadata (policy by reference).

Name	AccessPolicy		
Type URI	http://scher	http://schemas.dmtf.org/cimi/1/AccessPolicy	
Attribute	Туре	Description	
enabled	Boolean	Indicates whether any access policy is specified for the associated Cloud Entry Point. <u>Constraints:</u> Provider: support mandatory; mutable Consumer: support mandatory; read-only	
policy Document	Ref	Is the reference to the content of this access policy. <u>Constraints:</u> Provider: support mandatory; mutable Consumer: support mandatory; mutable	

325 Another example of AccessPolicy definition is shown below. In this example the policyDocument

326 attribute has authorization metadata content or a query (queries) to retrieve authorization metadata

327 (policy by value).

Name	AccessPolicy		
Type URI	http://schemas.dmtf.org/cimi/1/AccessPolicy		
Attribute	Туре	ype Description	
enabled	Boolean	Indicates whether any access policy is specified for the associated Cloud Entry Point. <u>Constraints:</u> Provider: support mandatory; mutable Consumer: support mandatory; read-only	
policy Document	String Is the document of this access policy. <u>Constraints:</u> Provider: support mandatory; mutable Consumer: support mandatory; mutable		

328 Consumers are allowed to specify their own AccessPolicy objects, and also to choose an

329 AccessPolicyTemplate object supplied by a Provider. An example of an AccessPolicyTemplate

330 object definition is shown below. An AccessPolicyTemplate object has a name and a template

document containing the access policy. For example, cloud Providers can prepare a "root" access policy.

template that allows complete access to any resources. Consumers would then choose this template to

be adapted for their super users.

Name	AccessPolicyTemplate	
Type URI	http://schemas.dmtf.org/cimi/1/AccessPolicy	
Attribute	Type Description	
name	String The displayed name of this access policy template. Constraints: Provider: support mandatory; mutable Consumer: support mandatory; read-only	
policy Document	Ref The contents of this access policy template. <u>Constraints:</u> Provider: support mandatory; mutable Consumer: support mandatory; read-only	

334 4.3.2 Log data management

Log/Met-002	Log data management		
Description	This use case describes procedures for retrieving multiple event logs, including CIMI event logs.		
CIMI Rationale	CIMI event logs for Machines are generally considered to be limited to VM logs. (Usually guest OS and application event logs are not disclosed to Providers). Consumer administrators may need to access both CIMI and non-CIMI logs for cloud operations, and use cases to clarify that these procedures are useful.		
	Because CIMI event logs are collections of resource-specific logs, Consumer administrators may need to compile these from various sources (e.g., sort logs based on timestamps, or output events in CADF format) to transfer them to log management software.		
Dependencies with other use cases, standards,	 CADF Standard Use case "Aligning Monitoring and Auditing with CADF" presented in clause 4.3.3 of this document. 		
and technologies			
CIMI challenges	 It is not clear what comprises a System event log. It may be better to define System logs as the collection of the logs attached to resources belonging to the System. Other challenges are still open; conversion to CADF for integrated analysis with 		
	non-CIMI logs could be an issue.		
Business Actor(s)	Consumer administrator		
Process Flow	Step Description	Data Required	
	Case 1: Machine overload	CIMI Meter data	
	A Consumer administrator finds that a Machine has become overloaded (via monitoring Meter data).	CIMI State Events Non-CIMI performance logs	
	Reviewing the CPU usage rates for the Machine (CIMI state events) for the previous 24 hours indicates the symptoms started at time x.		
	The event logs of the Machine's guest OS (non-CIMI, performance monitoring logs) with timestamps between $x \pm 1$ hour are then examined.		
	These logs allow the identification of a problematic application (e.g., Web server).		

Log/Met-002	Log data management		
	Case 2: <u>Emergency alert</u> An Intrusion Detection System (IDS) issues an emergency alert (CIMI alarm events). The alert indicates the address where an anomaly has occurred.	CIMI Alarm Events CIMI State Events Non-CIMI Event logs	
	The Consumer administrator uses the address key to determine the corresponding Machine.		
	Event logs for the Machine (CIMI state events) and the guest OS (non-CIMI logs) for the previous 24 hours are retrieved and examined for anomalies.		
	If no anomalous event is found, further logs can be retrieved according to the timeline.		
	The event logs of other Machines (CIMI and non-CIMI) can be examined for similar incidents.		
	Case 3: <u>Sudden shutdown</u>	CIMI Alarm Events	
	The Consumer administrator finds an unexpected application shutdown on a Machine (CIMI state event/alarm events).	CIMI State Events Non-CIMI Event logs	
	Retrieving the event logs of the guest OS (non-CIMI) on the Machine for the 3 hours prior to the shutdown shows a file system fault.		
	The administrator then retrieves the event logs of the Volumes used by the Machine (CIMI state/alarm events) and identifies an unavailable Volume.		
	Case 4: Log transfer The Consumer administrator creates a job to execute retrieval of all CIMI logs once per day (at a specified time) and save them to a specified Volume.		
	The job is run periodically so that logs are collected and transferred to Log Management software on a daily basis.		
Variations	In case 4, conversion to CADF could be included also, it is not a strong requirement.	I, Because it can be done in CIMI client	
Notes	It is assumed that time-based filtering capability i	s provided.	

4.3.3 Aligning Monitoring and Auditing with CADF

Log/Met-003	Aligning Monitoring and Auditing with CADF			
Description	The Cloud Audit and Data Federation (CADF) specification has defined an event and logging format and model, the primary focus of which is to support cloud auditing functions. However the specification also supports other logging and monitoring functions (operations monitoring, metering, lifecycle history, alarms and errors).			
	A CIMI Provider should provide CADF compliant audit logs for use by audit to			
	CIMI metering and monitoring logs should also use the CADF format, to allow unified tooling and to avoid reformatting CIMI events into the CADF format.			
CIMI Rationale	 CADF is supports a general cloud audit function, yet it is also well-suited for operations monitoring (as in CIMI). If cloud Providers support CADF for audit, CIMI implementations would be simplified if they reuse CADFs logging feature instead of implementing their own. 			
	 Many CIMI events have audit relevance mapped to CADF if they are already ge 			
Clouds with their own APIs are li CADF has been adopted in the li OpenStack and is being consider and possibly the NOVA (compute		support CADF in the future. For example, ne authentication component of the monitoring component, Ceilometer, ponent. If CIMI adopted the CADF format I front-end to work with OpenStack.		
Dependencies	This will introduce dependencies:			
with other use	With the CADF standard.			
cases, standards, and technologies	DSP0262 - Cloud Auditing Data Federation (CADF) - Data Format and Interface Definitions Specification			
	 Possibly with the forthcoming CADF profile for OpenStack, when using CIMI with OpenStack DSP2038 - Cloud Audit Data Federation - OpenStack 			
	Profilehttp://members.dmtf.org/apps/org/workgroup/cadf/download.php/77597			
CIMI challenges	CIMI events and logs need be replaced, and a CADF profile for CIMI needs to be defined.			
	 CIMI logs are per-Resource only. This may need to be reconsidered and a global CEP [CADF] log used instead or in addition. Because CADF events refer to specific Resource targets, it is always possible to select a subset of these that relate to a specific CIMI Resource. 			
 The serialization rules of CADF are different from those in CIMI, for collections. A decision needs to be made whether to keep CIMI seria or adopt CADF rules. 				
	 It may be that the CIMI specification has to leave some details of events and logs to a profile (CADF profile), in case different back-end Clouds have to be accommodated that have different content requirements for events and logs. 			
Business Actor(s)	Will benefit:			
	Auditors and Audit tool vendors (Consumer side, Provider side)			
	CIMI developers			
	Developers of CIMI adapters to existing Clouds			
Process Flow	Step Description	Data Required		
	N/A			
Variations				
Notes	A CADF-CIMI mapping has already been outline	d in CADF specification 1.0 Appendix D.		

336 **4.4 Multicloud management use cases**

337 4.4.1 Support for multiple operations in one job

Multicloud-001 Res-Mgm/Ctrl-001	Support for multiple operations in one job		
Description	 Assumptions: Some cloud Providers using CIMI as a Consumer northbound interface must make complex decisions regarding the placement of virtual resources (e.g. Machines, Networks, Disks, etc.) onto sub-clouds. 		
	 CIMI Systems consisting of multiple interacting Resources must be analyzed as a unit if optimal sub-cloud assignments are to be made. 		
	as a single operation so they can be	gy to receive all updates to a CIMI System e analyzed and processed as a unit. gy to understand the capabilities available	
	to them from sub-cloud Providers.		
CIMI Rationale	The CIMI ambition is to move beyond a simple Hypervisor/Virtualization-Platform interface to support multicloud environments and complex multi-resource systems.		
Dependencies with other use cases, standards, and technologies	Interaction with OVF.		
CIMI challenges	Currently CIMI does not provide a general mechanism for combining multiple atomic operations into a single macro operation. SystemTemplates cover the case where a new System and all its contained components are created in one operation but modifications to Systems must be made by individual operations. Currently CIMI does not provide a mechanism for a Provider to learn about the		
	capabilities provided by sub-cloud Providers. Currently CIMI does not support an adequate	e mechanism for specifying SLOs. (See	
	section 4.2 Service Level Objective management use).		
Business Actor(s)	Cloud Service Consumer, Cloud Service Provider(s)		
Process Flow	Step Description	Data Required	
	1: Cloud Provider acquires knowledge of the capabilities available from sub-cloud Providers and stores this in a database. The capabilities and current of each sub-cloud.		
	2: When a System request (create, modify, etc.) is received from a Consumer, analyze the required capabilities/SLOs and map these to available sub-clouds.		
Variations	Many factors drive variations:		
	Action of the System request: create, change, and remove.		
	• Available virtualization platforms/sub-clouds and their capabilities/utilization.		
	Relationships between the cloud receiving the request and its sub-clouds:		
	 Contained with detailed knowledge 		
	 Shared with detailed knowledge 		
	 Shared with little or no knowledge 		
		Resources, SLOs and the ability to scatter lability of inter-data-center networking).	

CLOUD PROVIDER ARCHITECTURE

Multicloud-001 Res-Mgm/Ctrl-001	Support for multiple operations in one job
Notes	None


338 Detailed description:

339 The following text provides a more detailed explanation of the use case but is *not* intended to be a

340 complete technical implementation. Readers should be aware that the description inevitably refers to

terms defined by CIMI and assumes a working familiarity with the specification.

- 342 4.4.1.1 **Architecture**
- 343 The general assumption is that the generic architecture of a Cloud Provider is given below:



344

345

Figure 11 – Proposed Cloud Provider architecture

- 346 Each Cloud must have:
- 347 A northbound interface
- Some sort of logic (controller/orchestration) that decides where to place Machines, Disks,
 Networks, etc.
- 350 Targets for Resource creation:
- 351 Internal virtualization platform, and/or
- 352 Other clouds

353 4.4.1.2 Basic use cases based on cloud relationships


- 1. A single cloud has strong visibility into a subcloud.
- 355 Subcloud's Provider CEP provides a detailed view of available Resources (compute, storage, and network).
- 357 Top-cloud needs information about the subcloud's Resources (e.g., location, capabilities,

358 utilization) to make good delegation decisions (i.e., place part of a System in that subcloud).

- 359 2. Many clouds have strong visibility into a subcloud.
- 360 Subcloud's Provider CEP provides a detailed view of available Resources.

DSP2042


- 361 May need to hide some details for privacy?
- 362 3. Many clouds use a subcloud but have only weak visibility.
- 363 Subcloud's Provider CEP provides only limited information advertising general capabilities or
 364 maybe nothing.
- 365 Top-cloud may just be instructed to use a subcloud without any knowledge of its capabilities.



366

Figure 12 – Cloud containment scenario

Cloud Infrastructure Management Interface Use Cases



368



Figure 13 – Shared cloud scenario	Figure	13 -	Shared	cloud	scenario
-----------------------------------	--------	------	--------	-------	----------

370 4.4.1.3 **Example**

371 Assume there is a System that consists of several Machines and a Network with some maximum

372 bandwidth. Placement of the Machines in various data centers was carefully analyzed when the System

was built based on various factors including bandwidth requirements, bandwidth availability and the ability

- to support the Machines (CPU and storage).
- A change request is made asking to add another Machine (with affinity for an existing Machine) and
 increase the Network bandwidth. Consider:
- Both changes may set off a chain reaction of reassignment: There may be no room for the new
 Machine near the existing Machine and the new bandwidth requirement might not be supportable
 between the currently used data centers. Thus the change must in effect completely redo the original
 System request.
- It is very inefficient to make the changes one at a time because subsequent changes may undo the
 work done previously.
- It is possible there is no way to accommodate all the requested changes.
- The most obvious resolution would be for the Consumer to indicate all the required changes to the System and pass it to the Provider as one operation.

386 **4.4.2 Federation and multibrokering**

Multicloud-002	Federation and Multibrokering		
Description	A Consumer client of two different Cloud Providers (A and B) wants access to a unified cloud datacenter and to manage Resources allocated in the datacenters of both Providers.		
	The Consumer wants to manage Resources as if they were from a single Provider, but also wants:		
	 to be aware of which is the Provider for every Resource, 		
	• System Resources to be spread between the two Providers,		
	Systems within either cloud to reference Resources of both Providers.		
	Either Provider (A or B) can act as "broker" on behalf of Consumer C and operate on Resources allocated to C within the other Provider's datacenter.		
CIMI Rationale	The use case should be supported by CIMI because both the federation and multcl management themes are in scope of the next CIMI release according to the revised DMTF CMWG charter.		
	Federation and brokering are facilitators for wide adoption of cloud computing technologies.		
Dependencies with other use cases,	Some common aspects with use case Multicloud System configuration in clause 4.4.6 of this document		
standards, and technologies	Relations with Identity Federation technologies and standards:		
technologies	 IEEE Standard for Intercloud Interoperability and Federation (SIIF) by the P2302 working group in IEEE. 		
	 OpenAuth (also known as OAuth) and/or OpenID (from OpenID Foundation) 		
CIMI challenges	Identity Federation: there must be a mechanism that enables each Cloud Provider involved in the "federation" to recognize and accept credentials presented by the Consumer.		
	Some user/ID metadata may need to be handled by CIMI. There is a distinction to be made between:		
	 ID management needed for the connection of two application components across "Clouds", and 		
	 ID management needed for administrative rights on underlying Resources across "Clouds". 		
	On the basis of a brokering request given by the Consumer, a Cloud Provider must be able to "discover" Resources in clouds managed by other Providers that are allocated to that Consumer. The Provider must also to send information on resources allocated to Consumers in its own cloud to other Providers involved in the "federation".		
	Existence of an effective mechanism to enable a unified vision and management of all Resources allocated to a Consumer, maintaining specificity and control for single Resources in different clouds.		
	The role of CEPs in multicloud management:		
	 In some cloud brokerage cases it may be preferable to hide the multicloud aspects from the Consumer. Thus only one CEP should be provided to the Consumer. 		
	 In other cases, one CEP per cloud should be accessible for the Consumer. Some type of CEP subordination may be desirable in these cases. 		
	Aspects of concurrent management of Resources should be considered: Provider B could perform "maintenance" activities on a Resource in Cloud B that is allocated to Consumer C at the same instant Consumer C tries to access that specific Resource in Cloud B via Cloud A (the broker).		
Business Actor(s)	Cloud Service Consumer, Cloud Service Provider(s)		
·			

Multicloud-002	Federation and Multibrokering			
Process Flow	Step Description	Data Required		
	0: Consumer "C" is a client (has accounts) with both Cloud A and Cloud B	Each Provider (A and B) has an account related to Consumer C.		
	1: Provider A starts a "conversation" with Provider B to federate Cloud A and Cloud B. The process executes with success.	Accounts, privileges, authorizations, roles		
	2: Consumer C sends a "brokering request" to Provider A to make A the broker for C towards Provider B. The process executes with success.	Credentials of C		
	3: Provider A discovers Resources within Provider B that are assigned to Consumer C (in a way to be determined Provider A obtains knowledge from Provider B on B's Resources "dedicated to A").			
	4a: Consumer C accesses the federated cloud via Cloud A, and creates a System in Cloud A.	None		
	4b: Consumer C accesses the federated cloud via Cloud A and creates a Machine in Cloud B.	None		
	4c: Consumer C accesses the federated cloud via Cloud A and adds the Machine in Cloud B to the System in Cloud A.	System in A and Machine in B ready to be linked		
Variations	The federation step might fail. In this case steps from 2 onwards are not executed.			
	The brokering request from Provider A to Provider B might fail. The process is blocked until the issue is resolved.			
	If Providers A and B are not already federated, at reception of brokering request from Consumer C, Provider A must start the federation process with Provider B for C's Resources.			
	This use case could lead to a hybrid cloud scenario, where a Consumer has a private cloud (e.g., Cloud A) and extends his cloud to a public cloud (Cloud B), generating a hybrid cloud.			
Notes				

387 <u>Detailed description</u>:


388 The following text provides a more detailed explanation of the use case but is *not* intended to be a

complete technical implementation. Readers should be aware that the description inevitably refers to

390 terms defined by CIMI and assumes a working familiarity with the specification.


DSP2042

- 391 Some steps are highlighted:
- 392 Step 0: The Consumer C is a client (has an account) of Provider A and Provider B.




393


394 Step 1: Provider A starts a "conversation" with Provider B to federate Cloud A and Cloud B. The 395 process executes with success.



396
397 Step 2: Consumer C sends a "brokering request" to Provider A to make A the broker for C towards
398 Provider B. The process executes with success.



- 400 Step 3: Cloud A Provider discovers resources within Cloud B that are assigned to Consumer C.
 - Note: in a way to be determined Cloud Provider A obtains knowledge from Provider B on B's Resources "dedicated to A".





403

401

402

- 404 Step 4: Consumer C accesses the federated cloud via Cloud A; then, as an example, creates a
- 405 System in Cloud A, a Machine in Cloud B and then adds the Machine in Cloud B to the System in
- 406 Cloud A (System in Cloud A will reference the Machine in Cloud B).





409

Figure 14 – Federation and Multi Brokering use case "high level view" sequence chart

Multicloud-003	Resource placement in a multicloud enviro	onment
Description	A CIMI Provider needs to be aware of federat points managed by different Providers.	tion between clouds that has different end
	In this case the CIMI Provider needs some in Resources needs to be provisioned. (This fur	
	CIMI needs to have knowledge of Resource p	placement across clouds.
	CIMI currently does not model multiple clouds	S.
	Subcase 1: Provisioning is governed	d by placement policy.
	subcases). A concrete example wou Consumer needs a web server to ru resource associated with that web se CIMI Provider may decide which bac	erver. In this case the Consumer facing
	server, database). CIMI only nee policies across clouds (i.e., Mac cloud as Machine Y). Such rule	nantic knowledge of these components (web eds to be aware of affinity rules and placemen chine X needs to be provisioned in the same s may be provided by a higher level A). The use case does not involve higher leve
	describe the destination cloud for the	51
	NOTE Subcase 2 can be seen as simpl	
	Resources. The use case concerns	backend cloud must be used to provision to how to convey this knowledge to the plate is used provisioning is determined
Rationale	The use case should be supported by CIMI to management.	o support effective multicloud
	By means of this proposed interface enhance two (or more) federated clouds as if they were	
Dependencies with other use cases, standards, technologies	There must be something on which this use of	case depends.
CIMI challenges	Resources (e.g., Machines in a Sy clouds.	or a Consumer to indicate that specific astem) can/should reside on different
	 Today in CIMI there is no way to cor indication (statically determined, sim handled) or placement policies (a m placement). 	nilar to the way other template data is
Business Actor(s)	Cloud Service Consumer, Cloud Service Prov	vider(s)
Process Flow	Step Description	Data Required
	1: The Consumer communicates to the Provider which cloud, from a set of those subscribed to, a given Resource is to be placed.	

410 **4.4.3** Resource placement in a multicloud environment


Multicloud-003	Resource placement in a multicloud environment	
Variations		
Notes		

411 **4.4.4 Extending an existing network to multiple clouds**

Multicloud-004	Extending an existing network to multiple	clouds
Description	A Consumer client of two or more different C Network within one cloud by adding Machir different clouds.	
CIMI Rationale	Multicloud management is in scope for the nervised DMTF CMWG charter. For CIMI to effectively address multicloud manetworking functionality currently present in C	anagement, enhancements to the
Dependencies with other use cases, standards, technologies	 Relations with work carried out withi Possible (TBD) relations with ETSI I Outputs from DMTF NSMWG. 	
CIMI challenges	model.	es in CIMI and enhance the CIMI network evels of networking service delivered by
Business Actor(s)	Cloud Service Consumer, Cloud Service Prov	vider(s)
Process Flow	Step Description	Data Required
	0: Consumer "C" is client (has an account) for Cloud A and Cloud B;	Each Provider (A and B) has an account related to Consumer C.
	1: The two Providers agree to share virtual networking (virtual network and virtual network functions) within their hardware infrastructure: the two Providers will interoperate to provide the Consumer with a unified service.	Network and commercial parameters to enable networking federation: DNS, router and proxy addresses, etc.
	2: The Consumer creates a private Network on Cloud A and a Machine in Cloud B.	
	3: The Consumer defines a NetworkInterface.	
	4: The Consumer adds the Machine in Cloud B to the Network in Cloud A by assigning the NetworkInterface to the Machine.	
Variations	The address assigned to the Machine may b	be static or of DHCP type.
Notes		


412 <u>Detailed description</u>:

- 413 The following text provides a more detailed explanation of the use case but is *not* intended to be a
- 414 complete technical implementation. Readers should be aware that the description inevitably refers to 415 terms defined by CIMI and assumes a working familiarity with the specification.
- 416 Some steps are highlighted:
- 417 Step 0: Consumer "C" is client (has an account) of Cloud A and Cloud B.




418

Step 1: The two Providers agree to share virtual networking (virtual network and virtual network
 functions) within their hardware infrastructure: the two Providers will interoperate to provide the
 Consumer with a unified service.




422

423 Step 2: The Consumer creates a private Network on Cloud A and a Machine in Cloud B.






425 Step 3: The Consumer defines a NetworkInterface.



427 Step 4: The Consumer adds the Machine in Cloud B to the Network in Cloud A by assigning the
 428 NetworkInterface to the Machine.





431 Figure 15 - Extending an existing network to multiple clouds use case "high level view" sequence
 432 chart

Creating an intercloud network	
A Consumer client of two different cloud Providers (A and B) wants to create a private Network shared between the two Providers (there are segments of the Network supported by each Provider) and add machines to it; the machines will belong to both the clouds.	
Multicloud management is in scope for the nervised DMTF CMWG charter. For CIMI to effectively address multicloud manetworking functionality currently present in C	nagement, enhancements to the
 Relations with work carried out withi Possible (TBD) relations with ETSI N Outputs from DMTF NSMWG. 	
The two Providers can deliver networks with different SLOs. It is necessary to define a model that allows the Consumer to choose in a coherent way the service level for the network interfaces.	
Cloud Service Consumer, Cloud Service Provider(s)	
Step Description	Data Required
0: Consumer C is a client (has an account) for Cloud A and Cloud B. Provider A and Provider B are "federated" for networking functionality (they have agreed to share virtual networking functions).	
1: The Consumer requests the creation of a shared private Network on both Cloud A and Cloud B.	
2: The Network is created with appropriate service levels.	
3: The Consumer adds two Machines to the Network, one in Cloud A and one in Cloud B.	
The addresses assigned to the Machines m	ay be static or of DHCP type.
It is possible to define two models: Characteristics and constraints of the federated Network are reconciled from the networking infrastructures of the two Providers (i.e., for each parameter the supported value will be the lowest common provided by both Providers). Network segments with different characteristics (e.g., SLO, QoS) could be present; The Consumer will be made aware of such differences and will be guided in defining the correct interface when adding Machines to the Network. Changes in characteristics of the interface could dictate movement of Machines from one	
	A Consumer client of two different cloud Prov Network shared between the two Providers (t supported by each Provider) and add machin the clouds. Multicloud management is in scope for the ne- revised DMTF CMWG charter. For CIMI to effectively address multicloud ma- networking functionality currently present in C • Relations with work carried out withi • Possible (TBD) relations with ETSI N • Outputs from DMTF NSMWG. The two Providers can deliver networks with of model that allows the Consumer to choose in network interfaces. Cloud Service Consumer, Cloud Service Prov Step Description 0: Consumer C is a client (has an account) for Cloud A and Cloud B. Provider A and Provider B are "federated" for networking functionality (they have agreed to share virtual networking functions). 1: The Consumer requests the creation of a shared private Network on both Cloud A and Cloud B. 2: The Network is created with appropriate service levels. 3: The Consumer adds two Machines to the Network, one in Cloud A and one in Cloud B. The addresses assigned to the Machines m It is possible to define two models: Characteristics and constraints of the federat networking infrastructures of the two Provider value will be the lowest common provided by Network segments with different characteristis The Consumer will be made aware of such di the correct interface when adding Machines

433 **4.4.5 Creating an intercloud network**

434 <u>Detailed description</u>:


435 The following text provides a more detailed explanation of the use case but is *not* intended to be a

436 complete technical implementation. Readers should be aware that the description inevitably refers to

437 terms defined by CIMI and assumes a working familiarity with the specification.


438 Some steps are highlighted:

- 439 Step 0: Consumer C is a client (has an account) for Cloud A and Cloud B. Providers A and B are
- 440 "federated" for networking functionality (they have agreed to share virtual networking functionality).




441

- 442 Step 1: The Consumer requests the creation of a shared private Network on both Cloud A and Cloud B.
- Provider A shows the Consumer C possible configurations that reconcile the Network characteristics of
 both Providers.





446 Step 2: The Network is created with appropriate service levels.



447







450

451

Figure 16 – Intercloud network use case "high level view" sequence chart

452	4.4.6	Multicloud System configuration	
-----	-------	---------------------------------	--


Multicloud-006	Multicloud System configuration	
Description	This use case describes a machine-storage configuration across two clouds (or datacenters).	
CIMI Rationale	Some Systems in a cloud may use extra storage, such as Resources located in another cloud. For example, suppose we have a Machine in one cloud (or datacenter) using a database, and a new Machine to provide the same service is newly deployed in another cloud (or datacenter), but the database cannot be duplicated. The deployment and operation of such Systems needs to be done in an integrated manner because the storage is in the same cloud.	
Dependencies with other use cases, standards, and technologies	 Use case <i>Federation and multibrokering</i> presented in clause 4.4.2 of this document. Use case <i>Resource placement in a multicloud environment</i> presented in clause 4.4.3 of this document. 	
	• Use case Authorization metadata management presented in clause 4.3.1 of this document.	

Multicloud-006	Multicloud System configuration	
CIMI challenges	Assume that there is an agreement on reso B, so that a Cloud A consumer can deploy (integrated manner. Current CIMI does not a connected to (or included in) a Resource of needs be checked from viewpoints such as	Cloud B Resources and use them in an assume that a Resource of a cloud is another cloud. For this use case, CIMI
	Namespace rules should be consistent to securrent CIMI specification does not specify conversion or normative rules for interprovid necessary.	normative URI expressions, so some
	Many-to-one relationship of Resource conn resource B of Cloud B is connected to Reso the integrity of Resource B operation (such managed?	purce A of Cloud A. How should manage
	Re-definition or enhancement of the Cloud connected Resources of different clouds (re case). For example, should the CEP exactly connected to its governing Resources, or the belongs?	elated to hybrid-cloud management use y specify a Resource in another CEP
Business Actor(s)	Consumer administrator	
Process Flow	Step Description	Data Required
	While operating System A of Cloud A, the Consumer administrator of Cloud A can refer to the CEP of authorized Cloud B Resources and deploy Resource B.	CEP of System B in Cloud B
	After Resource B deployment in Cloud B, the Consumer administrator connects Resource B to Resource A of Cloud A. CEP and System entities of Cloud A are automatically updated.	CEP of System A in Cloud A
Variations	Many-to-one connectivity (such as shared s it would be better to separate the many-to-c cases.	
Notes		

453 <u>Detailed description</u>:


454 The following text provides a more detailed explanation of the use case but is *not* intended to be a

455 complete technical implementation. Readers should be aware that the description inevitably refers to
 456 terms defined by CIMI and assumes a working familiarity with the specification.



457

458 Figure 17 – Volume shared by different machines of different clouds (many-to-one connectivity)



459

460

Figure 18 – Additional volume deployed in another cloud in an on-demand manner

461 **4.4.7** Assigning a common SLO to a machine in multiple clouds

462 This use case can be associated to multiple categories. Refer to clause 4.2.2 for a detailed description.

463 **4.5 OVF import/export use cases**

464 **4.5.1 OVF life cycle - import**

	inport
OVF-001	OVF Life Cycle – Import
Description	Align CIMI and OVF into a unified lifecycle.

OVF-001	OVF Life Cycle – Import		
CIMI Rationale	 Cloud Consumers have a large number of software solutions available in OVF packages today. OVF is a widely accepted international standard and supporting this use case makes CIMI useful to a wider base of Cloud Providers and Cloud Consumers. OVF packages are designed to securely verify that the package is from the named source without modification. This is desirable for CIMI. 		
Dependencies with other use cases, standards, and technologies.	 Dependence on other use cases to Depends on OVF Standards DSP02 		
CIMI challenges	Mapping between OVF constructs and CIMI as a single workload entity.	constructs; managing the OVF package	
Business Actor(s)	Cloud Service Developer Cloud Service Consumer Administrator Cloud Service Provider Business Manager		
Process Flow	Step Description	Data Required	
	 1: Import an OVF Package into the CIMI CEP making it available for use: Create a SystemTemplate from the OVF descriptor. Add a reference in SystemTemplate to the OVF package. 	OVF descriptor Virtual disks	
Variations	Some steps may be omitted and starting poir	Some steps may be omitted and starting points may vary.	
Notes	There may be other methods of OVF packag discover running virtual systems in the Const package is part of the OVF life cycle, but CIM	umers environment. Authoring an OVF	

465 <u>Detailed description</u>:

466 The following text provides a more detailed explanation of the use case but is *not* intended to be a

467 complete technical implementation. Readers should be aware that the description inevitably refers to 468 terms defined by CIMI and assumes a working familiarity with the specification.

OVF users are accustomed to describing complex systems of virtual machines, storage, and networks in an OVF descriptor, packaging the descriptor with disk images, and other files, and using the package to deploy the system on a virtualization platform. They may keep the OVF package in a library and deploy the same package repeatedly. OVF packages are also used to package systems for sale or for transfer between organizations. OVF packages are also designed to securely verify that the package is from the named source and delivered without modification, a desirable characteristic for a commercial package.

This use case proposes that participants in the OVF package ecosystem can use clouds with CIMI

interfaces without rebuilding existing OVF packages to comply with CIMI. Because OVF is an established
 international standard, this will increase the potential CIMI user base.

478 4.5.2	OVF life c	ycle - export
------------------	------------	---------------

OVF-002	OVF Life Cycle – Export	
Description	Align CIMI and OVF into a unified life cycle. Export an OVF package,	
CIMI Rationale	Cloud Consumers need a way to move CIMI Systems between Cloud Providers. The OVF package is a way to do this in an interoperable manner. Cloud Consumers expect to be able to request that a hypervisor generate an OVF package that is a current snapshot of a set of virtual systems. Cloud Consumers expect the same capability for a System instantiated by CIMI. This enables the transfer of CIMI Systems, including multicloud ones, between Cloud Providers.	
Dependencies with other use cases, standards, and technologies.	 Dependence on other use cases to be determined Depends on OVF Standards DSP0243, DSP8027, DSP8023 	
CIMI challenges	Mapping between OVF constructs and CIMI of	constructs.
Business Actor(s)	Cloud Service Developer Cloud Service Consumer Administrator Cloud Service Provider Business Manager	
Process Flow	Step Description	Data Required
	1: Export the Cloud Consumer's workload as an OVF Package.	
Variations	Some steps may be omitted and starting points may vary.	
Notes:	Generating an OVF package from a deployed method of authoring OVF packages.	d and modified System is a common

479 <u>Detailed description</u>:

The following text provides a more detailed explanation of the use case but is *not* intended to be a
 complete technical implementation. Readers should be aware that the description inevitably refers to
 terms defined by CIMI and assumes a working familiarity with the specification.

483 OVF users are accustomed to describing complex systems of virtual machines, storage, and networks in 484 an OVF descriptor, packaging the descriptor with disk images, and other files, and using the package to 485 deploy the system on a virtualization platform. They may keep the OVF package in a library and they may 486 request an OVF package from the virtualization platform that represents that running system at the 487 moment the package is requested. The resulting OVF package can be the starting point for further rounds

- 488 of development by editing the new package to add new features.
- This use case proposes that an OVF user should have the same experience when interacting with a cloud via CIMI.

491 **4.6** Resources groups management and control use cases

492 **4.6.1** Support for multiple operations in one job

493 Refer to clause 4.4.1 of this document for a description of the use case.

494 **4.6.2** Auto-scaling functionality

495 Refer to clause 4.2.3 of this document for a description of the use case.

- ANNEX A
- (informative)

498 499

497

- 100
- 500
- 501

Change log

Version	Date	Description
1.0.0a	2014-09-17	Rev 15 Release candidate for Work in Progress
1.0.0b	2014-12-03	Release as Work in Progress